



*Over forty years of providing quality products and services.*



# Product Catalog



# Table of Contents

---

<b>Cable Ties</b>	<b>Page</b>	<b>Tag Attaching</b>	<b>Page</b>
18 Lb Tensile Strength	3	Hand Tools	25 & 26
40 Lb Tensile Strength	3	Needles	26
50 Lb Tensile Strength	3	Micro Fasteners	28
120 Lb Tensile Strength	4	General Purpose Fasteners	28
175 Lb Tensile Strength	4	System 1000 Fasteners	29
250 Lb Tensile Strength	4	Fine Fabric Fasteners	29
Ladder Style	5	Heavy Duty Fasteners	30
Identification	5	Super Heavy Duty Fasteners	30
Mounting Head	5	V-Tool Fasteners	31
Tear-Off	6	Secur-a-tach®	31
Releasable	6	StringTach™	31
Twist Locks	7	Secur-a-ties®	32
Mounts	7	Secur-a-seals	32
Tools	8	Elastic Staple Systems	33
Custom Printing	9	Plastic Staple Systems	33
		Elastic Staples	34
		Plastic Staples	34
		Display Hooks	34
<b>Twist Ties</b>	<b>Page</b>	<b>Other Products</b>	<b>Page</b>
Paper Cut Length	11	Bag Closure Machine & Tape	37
Plastic Cut Length	11	Hand Applied Bag Closures	37
Paper Double Wire Cut Length	12	Aro-Ties	38
Plastic Double Wire Cut Length	12	Deadlock Fasteners	38
Metallic Cut Length	12	Steel Wire Tie Tools	38
Paper Write-On	13	Looped End Wire Ties	39
Paper/Plastic Spooled	13	Manila Shipping Tags	39
Plastic Spooled	13	Shipping Tag Wires	40
Plastic Double Wire Spooled	14	Display Hooks	40
Application Machines	14	Easy Cut Razor Knife	40
		Parcel Handles	40
		Plastic Handles	41
		Labelers & Labels	42
		Sign Guardian	42
		Tape Gun	42
		Hang Tabs	43
<b>Security Seals</b>	<b>Page</b>		
Metal Truck Seals	17		
Plastic Truck Seals	17		
Cable Seals	18		
Bolt Seals	18		
Pull-Tite Seals	18		
Strap Lock Seals	19		
Bag Seals	19		
Veri-Seals	19		
Secur-a-ties®	20		
Secur-a-seals	20		
Snap Locks	21		
Cart Locks	21		
Plastic Padlocks	21		
Wire & Lead Seals	22		
Custom Printing	23		





# Cable Ties

### 3 Cable Ties

## 18 Lb. Tensile Strength

Not to exceed 18 Lbs. of bundling force.

Width: 0.095" Thickness: 0.041"



Part No.	Approx. Length (In.)	Standard Packaging	Case Weight (Lbs.)	Max. Bundle Diameter (In.)	Material	Stock Colors
500-04	4	1M/Bag : 25M/Cs	16	7/8	Nylon	Natural, UV Black, Brown, Red, Orange, Yellow, Green, Blue
500-06	6	1M/Bag : 20M/Cs	22	1 1/4	Nylon	Natural, UV Black
500-08	8	1M/Bag : 20M/Cs	27	2 1/8	Nylon	Natural, UV Black

## 40 Lb. Tensile Strength

Not to exceed 40 Lbs. of bundling force.

Width: 0.14" Thickness: 0.049"



Part No.	Approx. Length (In.)	Standard Packaging	Case Weight (Lbs.)	Max. Bundle Diameter (In.)	Material	Stock Colors
510-06	5 1/2	1M/Bag : 10M/Cs	16	1 1/4	Nylon	Natural, UV Black, Red, Orange, Yellow, Green, Blue
510-08	8 1/2"	1M/Bag : 10M/Cs	25	2 1/8	Nylon	Natural, UV Black, Brown, Red, Orange, Yellow, Green, Blue, Violet, Gray

## 50 Lb. Tensile Strength

Not to exceed 50 Lbs. of bundling force.

Width: 0.177" Thickness: 0.053"



Part No.	Approx. Length (In.)	Standard Packaging	Case Weight (Lbs.)	Max. Bundle Diameter (In.)	Material	Stock Colors
515-08	7 1/2	1M/Bag : 10M/Cs	30	1 3/4	Nylon	Natural, UV Black, Red, Orange, Yellow, Green, Blue, Violet, Gray
515-11	11	500/Bag : 5M/Cs	21	3	Nylon	Natural, UV Black, Red, Orange, Yellow, Green, Blue
515-15	14 1/2	500/Bag : 5M/Cs	27	4	Nylon	Natural, UV Black

## 120 Lb. Tensile Strength

Not to exceed 120 Lbs. of bundling force.

Width: 0.303" Thickness: 0.075"



Part No.	Approx. Length (In.)	Standard Packaging	Case Weight (Lbs.)	Max. Bundle Diameter (In.)	Material	Stock Colors
520-08	8	100/Bag : 2.5M/Cs	16	2	Nylon	Natural, UV Black, Red, Orange, Yellow, Green, Blue
520-11	11	100/Bag : 1M/Cs	13	4	Nylon	UV Black
520-14	14	100/Bag : 2M/Cs	27	4	Nylon	Natural, UV Black
520-18	18	100/Bag : 1M/Cs	16	5	Nylon	Natural, UV Black
520-24	24	50/Bag : 500/Cs	14	7	Nylon	Natural, UV Black

## 175 Lb. Tensile Strength

Not to exceed 175 Lbs. of bundling force.

Width: 0.35" Thickness: 0.086"



Part No.	Approx. Length (In.)	Standard Packaging	Case Weight (Lbs.)	Max. Bundle Diameter (In.)	Material	Stock Colors
525-24	24	50/Bag : 500/Cs	15	7	Nylon	Natural, UV Black
525-36	36	50/Bag : 500/Cs	20	11	Nylon	Natural, UV Black
525-48	48	50/Bag : 500/Cs	25	15	Nylon	Natural, UV Black

## 250 Lb. Tensile Strength

Not to exceed 250 Lbs. of bundling force.

Width: 0.5" Thickness: 0.083"



Part No.	Approx. Length (In.)	Standard Packaging	Case Weight (Lbs.)	Max. Bundle Diameter (In.)	Material	Stock Colors
535-14	14	100/Bag : 500/Cs	15	4	Nylon	UV Black
535-21	21	100/Bag : 500/Cs	20	6	Nylon	Natural
535-28	28	100/Bag : 500/Cs	24	8	Nylon	Natural
535-40	40	25/Bag : 250/Cs	15	12	Nylon	Natural

# 5

# Cable Ties

## Ladder Style

Not to exceed 40 Lbs. of bundling force.

Width: 0.14" Thickness: 0.04"



Part No.	Approx. Length (In.)	Standard Packaging	Case Weight (Lbs.)	Max. Bundle Diameter (In.)	Material	Stock Colors
510-07L	7	1M/Bag : 5M/Cs	7	1 3/4	Nylon	Natural, UV Black
510-11L	11	1M/Bag : 5M/Cs	10	3	Nylon	Natural, UV Black

## Identification

4" - Not to exceed 18 Lbs. of bundling force.

7.5" - Not to exceed 50 Lbs. of bundling force.



Part No.	Approx. Length (In.)	Standard Packaging	Case Weight (Lbs.)	Max. Bundle Diameter (In.)	Material	Stock Colors
530-04	4	1M/Bag : 5M/Cs	7	7/8	Nylon	Natural, UV Black
530-04F	4	1M/Bag : 5M/Cs	7	7/8	Nylon	Natural
530-08	7.5	1M/Bag : 5M/Cs	15	1 3/4	Nylon	Natural

## Mounting

Not to exceed 50 Lbs. of bundling force.

Width: 0.19" Thickness: 0.05"



Part No.	Approx. Length (In.)	Standard Packaging	Case Weight (Lbs.)	Max. Bundle Diameter (In.)	Material	Mount Style	Stock Colors
550-08	8	1M/Bag : 5M/Cs	22	2	Nylon	Screw	Natural
550-08PM	7.5	1M/Bag : 5M/Cs	22	1 3/4	Nylon	Push	Black

## Tear-Off

Not to exceed 30 Lbs. of bundling force.

Width: 0.14" Thickness: 0.05"



Part No.	Approx. Length (In.)	Standard Packaging	Case Weight (Lbs.)	Max. Bundle Diameter (In.)	Material	Stock Colors
570-06	6	1M/Bag : 5M/Cs	11	1 1/2	Nylon	Natural, Red, Blue

## Releasable - Wide Style

Not to exceed 50 Lbs. of bundling force.

Width: 0.299" Thickness: 0.051"



Part No.	Approx. Length (In.)	Standard Packaging	Case Weight (Lbs.)	Max. Bundle Diameter (In.)	Material	Stock Colors
560-5.5T	5.5	500/Bag : 5M/Cs	22	1 1/4"	Nylon	Natural, Black
560-08T	8	500/Bag : 5M/Cs	28	2	Nylon	Natural, Black, Red, Blue
560-10T	10	500/Bag : 5M/Cs	34	2 1/2"	Nylon	Natural
560-12T	12	500/Bag : 5M/Cs	40	6	Nylon	Natural, Black, Red, Blue

## Releasable - Narrow Style

Not to exceed 50 Lbs. of bundling force.

Width: 0.177" Thickness: 0.05"



Part No.	Approx. Length (In.)	Standard Packaging	Case Weight (Lbs.)	Max. Bundle Diameter (In.)	Material	Stock Colors
560-7.5	7.5	1M/Bag : 5M/Cs	18	1 3/4"	Nylon	Natural, Black
560-11	11	1M/Bag : 5M/Cs	23	3	Nylon	Natural, Black

## Twist Locks

Thickness: approximately 0.08"



Part No.	Approx. Length (In.)	Standard Packaging	Case Weight (Lbs.)	Max. Bundle Diameter (In.)	Material	Stock Colors
880-250	0.984	1M/Bag : 10M/Cs	7	1/4	Nylon	Natural
880-350	1.173	1M/Bag : 10M/Cs	10	3/8	Nylon	Natural
880-500	1.331	1M/Bag : 10Mcs	15	1/2	Nylon	Natural
880-750	1.575	1M/Bag : 10M/Cs	18	3/4	Nylon	Natural
880-1000	1.772	1M/Bag : 10M/Cs	21	1	Nylon	Natural

## Mounts

Made of nylon and packaged 100/Bag.

Part No.	Approx. Length x Width (In.)	Style	Cable Tie Size (Lbs.)	Color	Picture
540-10044	1/2 x 5/16	Cradle - #4 Screw	18	Natural	A
540-SM68	5/8 x 3/8	Cradle - #8 Screw	18, 40, 50	Natural	B
540-10045	11/16 x 1/2	Cradle - #8 Screw	40, 50	Natural	C
540-10046	1 x 5/8	Cradle - #10 Screw	40, 50	Natural	D
540-10079	1 x 5/8	Cradle - 1/4" Screw	40, 50, 120	HS Black	E
540-LPM68	3/4 x 1/2	Low Profile - #8 Screw	18, 40, 50	Natural	F
540-10027	3/4 x 3/8	Anchor - #8 Screw	40, 50	Natural	G
540-10028	3/4 x 3/8	Anchor - #10 Screw	40, 50	Natural	H
540-MB2.5	5/8 x 5/8	4-Way Rubber Adhesive or #3 Screw	18	Natural, UV Black	I
540-BMPM	3/4 x 3/4	4-Way Rubber Adhesive or #6 Screw	18, 40	Natural, UV Black	J
540-08461	3/4 x 3/4	4-Way Acrylic Adhesive	18, 40	Natural	K
540-BMPS	1 x 1	4-Way Rubber Adhesive or #8 Screw	40, 50	Natural, UV Black	L
540-08463	1 x 1	4-Way #8 Screw	40, 50	Natural	M
540-10030	1 x 1	4-Way Rubber Adhesive or #6 Screw	40, 50	Natural	N
540-08462	1 x 1	4-Way Acrylic Adhesive or #6 Screw	40, 50	Natural	O
540-MB5	1 1/2 x 1 1/2	4-Way Rubber Adhesive or #8 Screw	50, 120, 175	Natural, UV Black	P

## Tools

All tools are packaged one per box.

Part No.	Style	Cable Tie Size (Lbs.)	Picture
545-10256	Manual installation tool	50, 120, 175	Q
545-10624	Manual installation tool	18, 40, 50	R
545-12001	Manual installation tool	18, 40, 50	S
545-MG1400	Manual removal tool	18, 40, 50, 120, 175, 250	T
545-MK9	Manual installation tool	18, 40, 50, 120, 175, 250	U




Not actual sizes.

# Cable Ties

## Custom Printing

AndFel Corporation prints all cable ties in-house with fast turnaround times. Most ties can be hot stamped with sequential numbers, text or graphics. There is no minimum and we offer price breaks by quantity. Please call if you would like more information.



The image features a central white rectangular box with the text "Twist Ties" in a bold, black, sans-serif font. This box is surrounded by a complex, abstract arrangement of overlapping rectangles. Some rectangles are solid green, while others are white with a thin green outline. The rectangles are scattered across the page, creating a sense of depth and movement. The overall composition is centered and balanced, with the text acting as the focal point.

**Twist Ties**

# 11 Twist Ties

## Paper Cut Length

27 gauge annealed steel single wire with paper laminate.

Width: 0.156"



Part No.	Approx. Length (In.)	Standard Packaging	Case Weight (Lbs.)	Stock Colors
100-04	4	2M/Box : 50M/Cs	22	Black, Tan, Red, Orange, Yellow, Green, Blue, White
100-05	5	2M/Box : 50M/Cs	25	Black, Tan, Red, Orange, Yellow, Green, Blue, White
100-06	6	2M/Box : 50M/Cs	31	Black, Tan, Red, Orange, Yellow, Green, Blue, White
100-07	7	2M/Box : 50M/Cs	36	Black, Tan, Red, Orange, Yellow, Green, Blue, White
100-08	8	2M/Box : 50M/Cs	38	Black, Tan, Red, Orange, Yellow, Green, Blue, White
100-10	10	2M/Box : 20M/Cs	21	Black, Red, Orange, Yellow, Green, Blue, White
100-12	12	2M/Box : 20M/Cs	24	Black, Red, Orange, Yellow, Green, Blue, White
100-14	14	500/Bdl : 10M/Cs	17	Black, Red, Blue, White
100-16	16	500/Bdl : 10M/Cs	18	Black, Orange, Yellow, White
100-18	18	500/Bdl : 10M/Cs	19	Tan, Red, Green, White
100-20	20	500/Bdl : 10M/Cs	22	Tan, Blue, White

## Plastic Cut Length

27 gauge annealed steel single wire with polyethylene laminate.

Width: 0.156"



Part No.	Approx. Length (In.)	Standard Packaging	Case Weight (Lbs.)	Stock Colors
120-04	4	2M/Box : 50M/Cs	25	Black, Brown, Red, Orange, Yellow, Green, Blue, Purple, Clear, White
120-05	5	2M/Box : 50M/Cs	28	Black, Brown, Red, Orange, Yellow, Green, Blue, White
120-06	6	2M/Box : 50M/Cs	30	Black, Brown, Red, Orange, Yellow, Green, Blue, Clear, White
120-07	7	2M/Box : 50M/Cs	40	Black, Red, Orange, Yellow, Green, Blue, White
120-08	8	2M/Box : 50M/Cs	45	Black, Red, Orange, Yellow, Green, Blue, Clear, White
120-10	10	2M/Box : 20M/Cs	22	Black, Red, Orange, Yellow, Green, Blue, Clear, White
120-12	12	2M/Box : 20M/Cs	26	Black, Red, Orange, Yellow, Green, Blue, Clear, White
120-14	14	500/Bdl : 10M/Cs	16	Black, Red, Yellow, Green, Clear, White
120-16	16	500/Bdl : 10M/Cs	21	White

## Paper Double Wire Cut Length

27 gauge annealed steel double wire with paper laminate.

Width: 0.25" Wire Spacing: 0.125"



Part No.	Approx. Length (In.)	Standard Packaging	Case Weight (Lbs.)	Stock Colors
110-06	6	1M/Box : 25M/Cs	35	White
110-08	8	1M/Box : 25M/Cs	45	White
110-10	10	1M/Box : 10M/Cs	22	White
110-12	12	1M/Box : 10M/Cs	28	White

## Plastic Double Wire Cut Length

24 gauge annealed steel double wire with polyethylene laminate.

Width: 0.25" Wire Spacing: 0.125"



Part No.	Approx. Length (In.)	Standard Packaging	Case Weight (Lbs.)	Stock Colors
112-06	6	1M/Box : 10M/Cs	20	White
112-08	8	1M/Box : 10M/Cs	29	White
112-10	10	1M/Box : 10M/Cs	32	White
112-12	12	1M/Box : 10M/Cs	42	White

## Metallic Cut Length

27 gauge annealed steel single wire.

Width: 0.156"



Part No.	Approx. Length (In.)	Standard Packaging	Case Weight (Lbs.)	Stock Colors
122-04	4	2M/Box : 50M/Cs	25	Red, Green, Blue, Gold, Silver
122-06	6	2M/Box : 50M/Cs	30	Red, Gold, Silver
122-08	8	2M/Box : 50M/Cs	45	Gold, Silver
122-10	10	2M/Box : 20M/Cs	22	Gold, Silver
122-12	12	2M/Box : 20M/Cs	30	Gold, Silver

# 13 Twist Ties

## Paper Write-On

27 gauge annealed steel single wire with paper laminate and flag.

Tie Width: 0.156"



Part No.	Approx. Length (In.)	Standard Packaging	Case Weight (Lbs.)	Flag Dimensions (In.)	Stock Colors
102-06R	6	125/Bdl : 5M/Cs	11	1.75 x 2	White

## Paper/Plastic Spooled

27 gauge annealed steel single wire with one side paper and one side plastic laminate.

Tie Width: 0.156"




Part No.	Approx. Length (Ft)	Standard Packaging	Case Weight (Lbs.)	Stock Colors
115-1.5	1,500	5Sp/Cs	24	Black, Brown, Red, Orange, Yellow, Green, Blue, White
115-3	3,000	5Sp/Cs	22	Black, Brown, Red, Orange, Yellow, Green, Blue, White
115-6	6,000	5Sp/Cs	41	Black, Brown, Red, Orange, Yellow, Green, Blue, White

## Plastic Spooled

27 gauge annealed steel single wire with plastic laminate.


Tie Width: 0.156"



Part No.	Approx. Length (Ft)	Standard Packaging	Case Weight (Lbs.)	Stock Colors
125-1.5	1,500	15Sp/Cs	24	Black, Red, Orange, Yellow, Green, Blue, White
125-3	3,000	5Sp/Cs	22	Black, Red, Orange, Yellow, Green, Blue, White
125-6	6,000	5Sp/Cs	41	Black, Red, Orange, Yellow, Green, Blue, White

## Plastic Double Wire Spooled

Annealed steel double wire with plastic laminate.



Part No.	Approx. Length (Ft)	Wire Gauge	Wire Spacing (In.)	Tie Width (In.)	Standard Packaging	Case Weight (Lbs.)	Stock Colors
125-2	2,000	27	Centered	5/32	5Sp/Cs	25	White
125-2HD	2,000	24	1/8	1/4	5Sp/Cs	25	White

## Application Machines


For use with 1,500 foot spooled single wire twist ties.

Part No.	Tying Diameter (In.)	Operating Speed	Weight (Lbs.)	Power Requirements	Picture
117-3570	1/4 to 1 3/8	40 per minute	26	110 Volt	A
117-504	3/8	50 per minute	16	120 Volt	B
117-603	5/8	50 per minute	16	120 Volt	B

A



B



# 15 Twist Ties

## Non-Stock Twist Ties

If you need twist ties not listed in this catalog, please give us a call. Other twist tie options that are non-stock would include custom printed, candy striped, gang ties, tin ties, elastic tags and more.



An abstract graphic design featuring a central white rectangular box with a dark green border. The box contains the text "Security Seals" in a bold, black, sans-serif font. Surrounding this central box is a complex arrangement of overlapping rectangles in various shades of green, ranging from light lime to dark forest green. Some rectangles are solid, while others are just outlines, creating a layered, geometric effect. The overall composition is centered and has a modern, clean aesthetic.

# Security Seals

# 17 Security Seals

## Metal Truck Seals

Made of tin plate steel 0.0105" thick.

Width: 0.313" Operational Length: 7.25"



Part No.	Style	Printed	Break Strength (Lbs)	Packaging	Case Weight (Lbs.)
610-8	Flat	Stock Numbers	90	100/Bdl : 1M/Cs	12
610-8-C	Flat	Custom name and/or Numbers	90	100/Bdl : 1M/Cs	12
610-8B	Ball	Stock Numbers	155	100/Bdl : 1M/Cs	14
610-8B-C	Ball	Custom Name and/or Numbers	155	100/Bdl : 1M/Cs	14

## Sure-Lock Truck Seals

Length: 7.75 Width: 0.406"

Break Strength: 80 Lbs.



Part No.	Printed	Packaging	Case Weight (Lbs.)	Stock Colors
612	Stock Numbers	10/Mat : 1M/Cs	12	Black, Red, Orange, Yellow, Green, Blue, White
612-C	Custom Numbers Only	10/Mat : 1M/Cs	12	Black, Red, Orange, Yellow, Green, Blue, White
612-C1	Stock Numbers w/ Custom Name	10/Mat : 1M/Cs	12	Black, Red, Orange, Yellow, Green, Blue, White
612-C2	Custom Numbers and Name	10/Mat : 1M/Cs	12	Black, Red, Orange, Yellow, Green, Blue, White

Printing by hot stamp method.

## Tite-Lock Truck Seals

Length: 7.8" Width: 0.35"

Break Strength: 33 Lbs.



Part No.	Printed	Packaging	Case Weight (Lbs.)	Stock Colors
650-TL	Stock Numbers	10/Mat : 1M/Cs	8	Red, Blue
650-TL-C	Custom Name and/or Numbers	10/Mat : 1M/Cs	8	Red, Blue

Custom printing by thermal transfer method.

## AluLock Cable Seals

Non-preformed steel cable and aluminum casing.  
Laser engraved sequential numbers.



Part No.	Cable Length (In.)	Cable Diameter (mm)	Packaging	Case Weight (Lbs.)	C-TPAT Compliant	Stock Colors
670-AL1.5	12	1.5	10/Bag : 250/Cs	11	No	Black
670-AL2.5	12	2.5	10/Bag : 250/Cs	14	No	Black
670-AL3.5	12	3.5	10/Bag : 250/Cs	18	Yes	Black, Blue

## Bolt Seals

Packaged 10/Box : 100/Cs

Ultra Bolt (UB)



Economy Bolt (EB)



Part No.	Operational Length (In.)	Pin Diameter (In.)	Pull Strength (Lbs)	Case Weight (Lbs.)	C-TPAT Compliant	Stock Colors
619-UB	1.7	0.40	2,866	16	Yes	Red, Yellow
619-EB	2.1	0.31	2,200	15	Yes	Blue, Yellow

## Bag Seals

Made of polypropylene.  
Packaged 1M/Cs.



Part No.	Strap Length (In.)	Strap Width (In.)	Flag Dimensions (In.)	Printed	Case Weight (Lbs.)	Available Colors
680-9	9.4	0.24	1.57 x 0.98	Custom	9	White, Red, Yellow, Blue, Green, Orange
680-11	11.4	0.24	1.57 x 0.98	Custom	11	White, Red, Yellow, Blue, Green, Orange

Non-stock item; requires 12 week lead time.

# 19 Security Seals

## Strap-Lock Seals

Polypropylene seals with smooth strap and tear-off tab for easy removal.

Packaged 1M/Cs.



Part No.	Strap Length (In.)	Strap Diameter (In.)	Flag Dimensions (In.)	Printed	Break Strength (Lbs.)	Case Weight (Lbs.)	Stock Colors
656-8	8	0.09	2.75 x 1.125	Stock Numbers	28	10	Blue
656-10	10	0.09	2.75 x 1.125	Stock Numbers	28	10	Blue
658-8	8	0.09	1.75 x 0.5	Stock Numbers	33	6	White

## Pull-Tite Seals

Packaged 1M/Cs.

Can be printed with sequential numbers, logos, barcodes and more.



Part No.	Strap Length (In.)	Strap Diameter (In.)	Flag Dimensions (In.)	Flag	Break Strength (Lbs.)	Case Weight (Lbs.)	Stock Colors
652	9	0.1	1.32 x 0.84	Blank	13.5	9	White, Red, Yellow, Green, Blue
652-CP	9	0.1	1.32 x 0.84	Custom Printed*	13.5	9	White, Red, Yellow, Green, Blue
652-TT	9	0.1	1.32 x 0.84	Custom Printed*	13.5	9	White, Red, Yellow, Green, Blue

\*Printing by hot stamp method (CP) or thermal transfer method (TT).

## Veri-Seals

Polypropylene seals with beaded strap and tear-off tab for easy removal.

Packaged 1M/Cs.



Part No.	Strap Length (In.)	Strap Width (In.)	Flag Dimensions (In.)	Pull Strength (Lbs.)	Printed	Case Weight (Lbs.)	Available Colors
613	11	0.156	2 x 0.71	26	Stock Numbers	6	White, Red
613-B	11	0.156	2 x 0.71	26	Blank	6	White, Red
613-CP	11	0.156	2 x 0.71	26	Custom	6	White, Red
614	12	0.156	3.25 x 1.06	42	Stock Numbers	11	Red, Blue
614-B	12	0.156	3.25 x 1.06	42	Blank	11	Red, Blue
614-CP	12	0.156	3.25 x 1.06	42	Custom	11	Red, Blue

Custom printing by thermal transfer method.

## Secur-A-Ties®

Beaded security ties.

Repacking services are available.



Part No.	Overall Length (In.)	Material	Tensile Strength (Lbs.)	Color	Maximum Width (In.)	Case Weight (Lbs.)	Packaged
700-08320	8	Nylon	18	Natural	0.094	13	2M/Box : 20M/Cs
700-08350	5	Nylon	15	Natural	0.094	23	5M/Box : 50M/Cs
700-08354	5	Nylon	15	Red	0.094	13	5M/Box : 20M/Cs
700-08355	5	Nylon	15	Yellow	0.094	13	5M/Box : 20M/Cs
700-08356	5	Nylon	15	Blue	0.094	13	5M/Box : 20M/Cs
700-08357	5	Nylon	15	Green	0.094	13	5M/Box : 20M/Cs
700-08358	5	Nylon	15	Orange	0.094	13	5M/Box : 20M/Cs
700-08359	5	Nylon	15	Black	0.094	13	5M/Box : 20M/Cs
700-08362	5	Polypropylene	8	Natural	0.094	19	5M/Box : 50M/Cs

## Secur-A-Seal

Beaded security ties.

Repacking services are available.



Part No.	Overall Length (In.)	Material	Tensile Strength (Lbs.)	Color	Maximum Width (In.)	Case Weight (Lbs.)	Packaged
700-08319	8	Polypropylene	8	Natural	0.094	15	2M/Box : 20M/Cs
700-10146	8	Polypropylene	8	Red	0.094	15	2M/Box : 20M/Cs
700-10147	8	Polypropylene	8	Orange	0.094	15	2M/Box : 20M/Cs
700-10148	8	Polypropylene	8	Yellow	0.094	15	2M/Box : 20M/Cs
700-10149	8	Polypropylene	8	Green	0.094	15	2M/Box : 20M/Cs
700-10150	8	Polypropylene	8	Blue	0.094	15	2M/Box : 20M/Cs
700-10154	8	Polypropylene	8	Black	0.094	15	2M/Box : 20M/Cs
700-10155	8	Polypropylene	8	White	0.094	15	2M/Box : 20M/Cs

# 21 Security Seals

## Snap Lock Seals

Wire is 1 mm in diameter.



Part No.	Casing Length x Width (In.)	Break Strength (Lbs.)	Wire Material	Printed	Packaging	Case Weight (Lbs.)	Stock Colors
602	1.5 x 0.75	100	Galvanized Steel	Stock Numbers	50/Bdl : 1M/Cs	9	Black, White, Red, Orange, Yellow, Green, Blue, Gray
602-B	1.56 x 0.83	66	Annealed Steel	Blank	10/Bdl : 100/Box	13	Red, Yellow, Green, Blue
602-C	1.5 x 0.75	100	Galvanized Steel	Custom	50/Bdl : 1M/Cs	9	Black, White, Red, Orange, Yellow, Green, Blue, Gray

## Cartlock Seal

Made of polypropylene.

Packaged loose 250/Bag and 1M/Case.



Part No.	Overall Height (In.)	Overall Width (In.)	Required Pass Through Slot (In.)	Printed	Case Weight (Lbs.)	Stock Colors
616-CL	1.7	1.6	0.094	Stock Numbers	3	Blue, Red

## Plastic Padlock Seals

Made of nylon.

Packaged loose 1M/Case.



Part No.	Overall Height (In.)	Overall Width (In.)	Thickness (In.)	Required Pass Through Slot (In.)	Printed	Case Weight (Lbs.)	Stock Colors
604	1.406	1	0.063	0.189	Blank	7	White, Red, Orange, Yellow, Green, Blue
604-C	1.406	1	0.063	0.189	Custom	7	White, Red, Orange, Yellow, Green, Blue

## Wire & Lead Seals

Wire is 2-ply, 23 gauge galvanized steel.

Discs are 0.375" in diameter.



### Wire with Lead Disc Attached

Part No.	Wire Length (In.)	Packaged
606-06	6	100/Bdl
606-08	8	100/Bdl
606-10	10	100/Bdl
606-12	12	100/Bdl

### Discs Alone

Part No.	Material	Packaged
606-D	Lead	1M/Bag
606-PD	Plastic	500/Bag

### Wire Alone


Part No.	Wire Length	Packaged
606-06-G	6 in.	100/Bdl
606-12-G	12 in.	100/Bdl
606-5SP	500 ft.	Spool
606-10SP	1000 ft.	Spool

### Press

Part No.	Description
606-PRESS	Bulldog Manual Seal Press
606-DIES	Custom Die for Seal Press

## Custom Printing

AndFel Corporation prints security seals in-house with fast turnaround times. Seals can either be printed by hot stamp or by thermal transfer. Numbers and text can be printed by hot stamping, or logos and graphics can be done with a custom plate. Thermal transfer allows for more printing options with less print time. There is no minimum and we offer price breaks by quantity. Please call if you would like more information.



An abstract graphic design featuring a central white rectangular box with a dark green border. The box contains the text "Tag Attaching" in a bold, black, sans-serif font. Surrounding this central box is a complex arrangement of overlapping, semi-transparent rectangles in various shades of green, ranging from light lime to dark forest green. Some rectangles are solid, while others are just outlines, creating a layered, geometric effect. The overall composition is centered and has a modern, clean aesthetic.

# Tag Attaching

# 25 Tag Attaching

## Mark II and III Tools

Sold by the each.

Each tool comes with one needle.

Part No.	Description	Style	Picture
710-06110	Industrial Buttoneer	Scissor Grip	A
710-08945	Standard Duty	Scissor Grip	B
710-08946	Fine Fabric	Scissor Grip	C
710-10000	System 1000	Pistol Grip	D
710-10312	Fine Fabric	Pistol Grip	E
710-10636	Standard Duty Long Needle	Pistol Grip	F
710-10637	Super Heavy Duty Long Needle	Pistol Grip	G
710-10651	Standard Duty	Pistol Grip	H
710-10778	Extra Heavy Duty	Pistol Grip	I
710-11040	Microtach	Pistol Grip	J
710-11045	Micropin	Pistol Grip	K
710-13000	V-Tool	Pistol Grip	L
710-16000	Standard Duty	Soft Grip	M
710-16001	Fine Fabric	Soft Grip	M




## Generic Tools

Sold by the each.

Each tool comes with one needle.


Part No.	Description	Style	Picture
710-10333	Standard Duty	Pistol Grip	A
710-10678	Fine Fabric	Pistol Grip	B



## Replacement Needles


Packaged 4 per kit, except for Safety Sealed needles which are packaged individually.

Part No.	Description	Overall Length (In.)	Effective Length (In.)	Outside Diameter (In.)	Compatible Tools	Picture
710-08913	HD, All Steel	1.4	0.51	0.09	06110, 08945, 10000, 10333, 10651	A
710-08941	Plastic Base	1.3	0.51	0.075	06110, 08945, 10000, 10333, 10651	B
710-08944	Plastic Base	1	0.31	0.051	08946, 10312, 10678	C
710-10070	HD, All Steel	1.1	0.35	0.055	08946, 10312, 10678	D
710-10643	Long SHD, All Steel	1.73	0.89	0.107	10637	E
710-10644	Short SHD, All Steel	1.41	0.57	0.107	10637, 10651	F
710-10645	Long HD, All Steel	1.75	0.83	0.09	10636	G
710-10683	08941 Safety Sealed	1.3	0.51	0.075	06110, 08945, 10000, 10333, 10651	B
710-11041	Micro, Plastic Base	1.08	0.16	0.047	11040, 11045	H




# 27 Tag Attaching


## Fastener Characteristics




**Paddle** - The most commonly used shape for garment tagging applications. Its larger end, the paddle, is designed in a way that once applied it will not come back through the hole in the tag. It also gives the consumer a larger surface to hold and pull when removing.




**T-End** - More discreet than the paddle fasteners, T-Ends are used for tagging, pairing products and packaging.



**Hook** - Mostly used as a mini-hanger for soft goods, such as caps, socks, gloves and scarves.



**Loop** - Both ends of the fastener are consecutively fired through the tool so they anchor at two different points and the filament serves as a loop. They are commonly used to hang goods, pair materials or secure labels.



**Buttoneer** - The fastener's rivet shaped head makes it ideal for securing rubber and other elastic materials.

## Micro Fasteners

For use with tools 11040 and 11045.

Made of Nylon.

Part No.	Style	Color	Filament Length (In.)	Applied Strength (Lbs.)	Packaging	Case Weight (Lbs.)
715-11042	T-End	White	0.17	2	120/Clip : 10M/Box : 100M/Cs	2
715-11046	T-End	Black	0.17	2	120/Clip : 10M/Box : 100M/Cs	2
715-11048	T-End	Black	0.21	2	120/Clip : 10M/Box : 100M/Cs	2

Other sizes are available as non-stock items.

## General Purpose Fasteners

For use with tools 08945, 10333, 10651 and 16000.

Made of polypropylene.

Part No.	Style	Color	Filament Length (In.)	Applied Strength (Lbs.)	Packaging	Case Weight (Lbs.)
715-08035	Paddle	Natural	1.8	3.6	50/Clip : 5M/Box : 50M/Cs	9
715-08901	Hook	Natural	1	3.6	50/Clip : 5M/Box : 50M/Cs	19
715-08902	Hook	Natural	1.4	3.6	50/Clip : 5M/Box : 50M/Cs	20
715-08952	Paddle	Natural	2.6	3.6	50/Clip : 5M/Box : 50M/Cs	10
715-08960	Paddle	Natural	0.75	3.6	50/Clip : 5M/Box : 50M/Cs	9
715-08962	Paddle	Dark Blue	2.6	3.6	50/Clip : 5M/Box : 50M/Cs	10
715-08965	Paddle	Green	2.6	3.6	50/Clip : 5M/Box : 50M/Cs	10
715-08966	Paddle	Orange	2.6	3.6	50/Clip : 5M/Box : 50M/Cs	10
715-08968	Paddle	Red	2.6	3.6	50/Clip : 5M/Box : 50M/Cs	10
715-08969	Paddle	Yellow	2.6	3.6	50/Clip : 5M/Box : 50M/Cs	10
715-08970	Paddle	Lt. Blue	2.6	3.6	50/Clip : 5M/Box : 50M/Cs	10
715-08986	Paddle	Black	2.6	3.6	50/Clip : 5M/Box : 50M/Cs	10
715-10417	Paddle	Natural	0.6	3.6	50/Clip : 10M/Box : 100M/Cs	8
715-10656	Paddle	Natural	0.523	3.6	100/Clip : 10M/Box : 100M/Cs	12
715-10657	Paddle	Natural	1	3.6	100/Clip : 10M/Box : 100M/Cs	13
715-10658	Paddle	Natural	2	3.6	100/Clip : 5M/Box : 50M/Cs	15
715-10659	Paddle	Natural	3	3.6	100/Clip : 5M/Box : 50M/Cs	16

# 29 Tag Attaching

## System 1000 Fasteners

For use with tool 10000 only.

All fasteners are paddle style.



Part No.	Material	Color	Filament Length (In.)	Applied Strength (Lbs.)	Packaging	Case Weight (Lbs.)
715-08284	Polypropylene	Natural	0.87	4	1M/Roll : 5M/Box : 50M/Cs	6
715-08285	Polypropylene	Natural	2	4	1M/Roll : 5M/Box : 50M/Cs	8
715-10311	Polypropylene	Natural	1.25	4	1M/Roll : 5M/Box : 50M/Cs	7
715-10315	Polypropylene	Red	0.87	4	1M/Roll : 5M/Box : 50M/Cs	6
715-10316	Polypropylene	Blue	0.87	4	1M/Roll : 5M/Box : 50M/Cs	6
715-10317	Polypropylene	Green	0.87	4	1M/Roll : 5M/Box : 50M/Cs	6
715-10318	Polypropylene	Yellow	0.87	4	1M/Roll : 5M/Box : 50M/Cs	6
715-10332	Polypropylene	Natural	0.43	4	1M/Roll : 5M/Box : 50M/Cs	7
715-10334	Polypropylene	Natural	1.5	4	1M/Roll : 5M/Box : 50M/Cs	8
715-10415	Nylon	Natural	1.5	5	1M/Roll : 5M/Box : 50M/Cs	11
715-10418	Nylon	Natural	1	5	1M/Roll : 5M/Box : 50M/Cs	9
715-10698	Nylon	Natural	0.87	5	1M/Roll : 5M/Box : 50M/Cs	8
715-10699	Nylon	Natural	0.43	5	1M/Roll : 5M/Box : 50M/Cs	7
715-11005	Nylon	Natural	2	5	1M/Roll : 5M/Box : 50M/Cs	11

Not all items are stock; call for availability.

## Fine Fabric Fasteners

For use with tools 08946, 10312, 10678 and 16001.

Made of Polypropylene (2.8 Lb. applied strength) or Nylon (3.5 Lb. applied strength).

Part No.	Style	Color	Filament Length (In.)	Applied Strength (Lbs.)	Packaging	Case Weight (Lbs.)
715-08938	Paddle	Natural	0.75	3.5	50/Clip : 10M/Box : 100M/Cs	6
715-08939	Paddle	Natural	1.8	2.8	50/Clip : 5M/Box : 50M/Cs	6
715-10343	Paddle	Natural	0.67	2.8	100/Clip : 10M/Box : 100M/Cs	9
715-10347	Paddle	Natural	2.8	2.8	50/Clip : 5M/Box : 50M/Cs	11
715-10453	Paddle	White	0.75	2.8	100/Clip : 10M/Box : 100M/Cs	9
715-10446	T-End	Natural	0.28	3.5	50/Clip : 5M/Box : 50M/Cs	8
715-10670	Paddle	Natural	1.7	3.5	100/Clip : 10M/Box : 100M/Cs	10
715-10672	T-End	Natural	0.24	3.5	100/Clip : 10M/Box : 100M/Cs	8
715-10689	T-End	Natural	0.44	3.5	50/Clip : 5M/Box : 50M/Cs	7
715-10696	Paddle	White	0.5	2.8	100/Clip : 10M/Box : 100M/Cs	8
715-10701	Paddle	Natural	1	3.5	100/Clip : 10M/Box : 100M/Cs	9

## Heavy Duty Fasteners

For use with tools 08945 and 10651.

Made of nylon.

Part No.	Style	Color	Filament Length (In.)	Applied Strength (Lbs.)	Packaging	Case Weight (Lbs.)
715-08903	Hook	Natural	1	5.6	50/Clip : 5M/Box : 50M/Cs	13
715-08908	Paddle	Natural	0.75	5.6	50/Clip : 5M/Box : 50M/Cs	11
715-08909	Paddle	Natural	2.6	5.6	50/Clip : 5M/Box : 50M/Cs	14
715-08948	T-End	Natural	9	5.6	50/Clip : 5M/Box : 50M/Cs	13
715-08949	T-End	Natural	5	5.6	50/Clip : 5M/Box : 50M/Cs	12
715-08951	T-End	Natural	0.9	5.6	100/Clip : 5M/Box : 50M/Cs	7
715-08954	T-End	Natural	0.4	5.6	100/Clip : 5M/Box : 50M/Cs	6
715-08961	Paddle	Natural	5	5.6	50/Clip : 5M/Box : 50M/Cs	13
715-08973	Paddle	Natural	0.6	5.6	50/Clip : 5M/Box : 50M/Cs	9
715-08974	Paddle	Dark Blue	0.6	5.6	50/Clip : 5M/Box : 50M/Cs	9
715-08975	Paddle	Lt. Blue	0.6	5.6	50/Clip : 5M/Box : 50M/Cs	9
715-08979	Paddle	Orange	0.6	5.6	50/Clip : 5M/Box : 50M/Cs	9
715-08981	Paddle	Yellow	0.6	5.6	50/Clip : 5M/Box : 50M/Cs	9
715-08982	Paddle	Red	0.6	5.6	50/Clip : 5M/Box : 50M/Cs	9
715-08985	Paddle	Black	0.6	5.6	50/Clip : 5M/Box : 50M/Cs	9
715-08987	Loop	Natural	1.5	5.6	50/Clip : 5M/Box : 50M/Cs	9
715-08988	Paddle	Natural	2.6	5.6	100/Clip : 5M/Box : 50M/Cs	13
715-08989	Loop	Natural	2.6	5.6	50/Clip : 5M/Box : 50M/Cs	18

## Super Heavy Duty Fasteners

For use with tool 10637 and 10651\*.

Made of nylon.

Part No.	Style	Color	Filament Length (In.)	Applied Strength (Lbs.)	Packaging	Case Weight (Lbs.)
715-10575	T-End	Natural	0.75	12	50/Clip : 5M/Box : 50M/Cs	10
715-10576	T-End	Natural	1.26	12	50/Clip : 5M/Box : 50M/Cs	15
715-10577	Loop	Natural	1.5	10	25/Clip : 5M/Box : 50M/Cs	14
715-10578	Loop	Natural	2.9	10	25/Clip : 5M/Box : 50M/Cs	16
715-10579	Loop	Natural	4.5	10	25/Clip : 5M/Box : 50M/Cs	18

\* Requires SHD short needle 10644, sold separately.

# 31 Tag Attaching

## V-Tool Fasteners

For use with tool 13000 only.



Part No.	Material	Color	Filament Length (In.)	Applied Strength (Lbs.)	Packaging	Case Weight (Lbs.)
715-13001	Nylon	Black	2.5	8	50/Clip : 5M/Box : 50M/Cs	17
715-13002	Nylon	Natural	3	8	50/Clip : 5M/Box : 50M/Cs	18
715-13004	Nylon	Natural	5	8	50/Clip : 5M/Box : 50M/Cs	18
715-13005	Nylon	Natural	2.5	8	50/Clip : 5M/Box : 50M/Cs	17

## Secur-A-Tach®

Applied by hand to tag hard goods.

Made of Polypropylene.



Part No.	Color	Overall Length (In.)	Applied Strength (Lbs.)	Packaging	Case Weight (Lbs.)
715-08300	Natural	5.3	8	5M/Box : 50M/Cs	16
715-08301	Natural	9.3	8	5M/Box : 50M/Cs	20
715-08302	Natural	3.3	8	5M/Box : 50M/Cs	14
715-10416	Natural	18	7.5	5M/Box : 50M/Cs	26

## StringTach™

Hand applied tag fastener.

Made of string for a more aesthetic appeal.



Part No.	Color	Overall Length (In.)	Applied Strength (Lbs.)	Packaging	Case Weight (Lbs.)
715-11150	Black	5	6	100/Bag : 5M/Cs	22
715-11151*	White	5	6	100/Bag : 5M/Cs	22
715-11152*	Black	7.9	6	100/Bag : 5M/Cs	24
715-11153*	White	7.9	6	100/Bag : 5M/Cs	24

\* Non-stock items.

## Secur-A-Ties®

Tamper evident beaded security ties.

Repacking services are available.



Part No.	Overall Length (In.)	Material	Tensile Strength (Lbs.)	Color	Maximum Width (In.)	Case Weight (Lbs.)	Packaged
700-08320	8	Nylon	18	Natural	0.094	13	2M/Box : 20M/Cs
700-08350	5	Nylon	15	Natural	0.094	23	5M/Box : 50M/Cs
700-08354	5	Nylon	15	Red	0.094	13	5M/Box : 20M/Cs
700-08355	5	Nylon	15	Yellow	0.094	13	5M/Box : 20M/Cs
700-08356	5	Nylon	15	Blue	0.094	13	5M/Box : 20M/Cs
700-08357	5	Nylon	15	Green	0.094	13	5M/Box : 20M/Cs
700-08358	5	Nylon	15	Orange	0.094	13	5M/Box : 20M/Cs
700-08359	5	Nylon	15	Black	0.094	13	5M/Box : 20M/Cs
700-08362	5	Polypropylene	8	Natural	0.094	19	5M/Box : 50M/Cs

## Secur-A-Seal

Tamper evident beaded security ties.

Repacking services are available.



Part No.	Overall Length (In.)	Material	Tensile Strength (Lbs.)	Color	Maximum Width (In.)	Case Weight (Lbs.)	Packaged
700-08319	8	Polypropylene	8	Natural	0.094	15	2M/Box : 20M/Cs
700-10146	8	Polypropylene	8	Red	0.094	15	2M/Box : 20M/Cs
700-10147	8	Polypropylene	8	Orange	0.094	15	2M/Box : 20M/Cs
700-10148	8	Polypropylene	8	Yellow	0.094	15	2M/Box : 20M/Cs
700-10149	8	Polypropylene	8	Green	0.094	15	2M/Box : 20M/Cs
700-10150	8	Polypropylene	8	Blue	0.094	15	2M/Box : 20M/Cs
700-10154	8	Polypropylene	8	Black	0.094	15	2M/Box : 20M/Cs
700-10155	8	Polypropylene	8	White	0.094	15	2M/Box : 20M/Cs


# 33 Tag Attaching

## Elastic Staple Systems

Pneumatically driven packaging systems for high volume use.

Part No.	Description	Package Quantity
710-10790	Variable Needle System (VNS)	1 Each
710-10797	Single Needle System (SNS)	1 Each
710-10751	VNS Brush Anvil	1 Each
710-10735	VNS Linear Mounting Stand	1 Each
710-10745	VNS/SNS Non-Tapered Needle	1 Each
710-10755	SNS Tapered Needle	1 Each

VNS System



SNS System



## Plastic Staple Systems

Fastener system ideal for tagging garments, creating washing effects or pairing items.

Part No.	Description	Package Quantity
710-15000	ST9500 Plastic Staple System	1 Each
710-15009	Standard Foot Pedal	1 Each
710-10442	HD Foot Pedal	1 Each
710-15010	Fine Fabric Needle	4 Each
710-15011	Ultra Fine Needle	4 Each
710-15012	HD Needle	4 Each



## Elastic Staples

For use with 10790 and 10797 systems.

Made of polypropylene; all fasteners are T-end style.

Part No.	Color	Filament Length (In.)	Applied Strength (Lbs.)	Packaging
715-10739	Black	1.201	4.6	10M/Reel : 100M/Cs
715-10740	Natural	0.49	4.6	10M/Reel : 100M/Cs
715-10741	Natural	0.66	4.6	10M/Reel : 100M/Cs
715-10742	Natural	1.09	4.6	10M/Reel : 100M/Cs
715-10743	Natural	1.66	4.6	10M/Reel : 100M/Cs
715-10744	Natural	2.41	4.6	10M/Reel : 100M/Cs
715-10752	Natural	2.032	4.6	10M/Reel : 100M/Cs
715-10753	Natural	1.201	4.6	10M/Reel : 100M/Cs
715-10780	Black	0.49	4.6	10M/Reel : 100M/Cs
715-10781	Black	0.66	4.6	10M/Reel : 100M/Cs
715-10782	Black	1.09	4.6	10M/Reel : 100M/Cs
715-10783	Black	1.66	4.6	10M/Reel : 100M/Cs
715-10784	Black	2.032	4.6	10M/Reel : 100M/Cs
715-10785	Black	2.41	4.6	10M/Reel : 100M/Cs
715-11400	Natural	0.91	4.6	10M/Reel : 100M/Cs
715-11401	Black	0.91	4.6	10M/Reel : 100M/Cs
715-11402	Natural	1.378	4.6	10M/Reel : 100M/Cs
715-11403	Black	1.378	4.6	10M/Reel : 100M/Cs
715-11404	Natural	1.53	4.6	10M/Reel : 100M/Cs
715-11405	Black	1.53	4.6	10M/Reel : 100M/Cs
715-11406	Natural	1.89	4.6	10M/Reel : 100M/Cs
715-11407	Black	1.89	4.6	10M/Reel : 100M/Cs
715-11408	Natural	2.199	4.6	10M/Reel : 100M/Cs
715-11409	Black	2.199	4.6	10M/Reel : 100M/Cs
715-11410	Natural	2.59	4.6	10M/Reel : 100M/Cs
715-11411	Black	2.59	4.6	10M/Reel : 100M/Cs
715-11412	Natural	2.782	4.6	10M/Reel : 100M/Cs
715-11413	Black	2.782	4.6	10M/Reel : 100M/Cs

Not all items are stock; please call for availability.

# 35 Tag Attaching

## Plastic Staples

For use with the 15000 system.


All fasteners are T-end style.

Part No.	Color	Overall Length (In.)	Packaging
715-15001	Clear	0.5	25M/Reel : 100M/Cs
715-15002	White	0.5	25M/Reel : 100M/Cs
715-15003	Black	0.5	25M/Reel : 100M/Cs
715-15004	Gray	0.5	25M/Reel : 100M/Cs
715-15005	Orange	0.5	25M/Reel : 100M/Cs

Not all items are stock; please call for availability.

## Display Hooks

Used with T-end or paddle tag fasteners.



Part No.	Length x Width (In.)	Thickness (In.)	Hook Diameter (In.)	Packaging	Case Weight (Lbs.)	Colors Available
625	1 13/16 x 3/4	1/16	7/16	100/Bag : 1M/Cs	2	Black, White

An abstract graphic design featuring a central white rectangular box with a dark green border. The box contains the text "Other Products" in a bold, black, sans-serif font. Surrounding this central box is a complex arrangement of overlapping, semi-transparent green rectangles of various sizes and orientations. Some rectangles are solid green, while others are just outlines. The overall composition is dynamic and layered, with the green elements appearing to float around the central text box.

**Other Products**

# 37 Other Products

## Bag Closure Machine and Tape

Ideal for closing bags of ice, produce or baked goods.

Machine is also available in a stainless steel model.




Part No.	Description	Packaging	Case Weight (Lbs.)	Stock Colors
175-605K	Bag Closure Machine with Cutter	1 Ea/Bx	3	Blue
175-125	3/8" Sealing Tape	180 Yds/Roll : 96 Rolls/Cs	23	Red, Yellow, Blue, Green, White

## Hand Applied Bag Closures

Dimensions for Series A closures are 27/32" x 1 3/8".

Dimensions for Series W closures are 1 3/8" x 1 11/16".

Part No.	Style	Opening	Packaging	Case Weight (Lbs.)	Stock Colors	Picture
400-A/0	Series A	0	5M/Box : 50M/Cs	65	White	A
400-A0/1	Series A	0/1	5M/Box : 50M/Cs	65	White	B
400-A/1	Series A	1	5M/Box : 50M/Cs	65	White, Orange, Red, Yellow, Green, Blue	C
400-A/2	Series A	2	5M/Box : 50M/Cs	65	White	D
400-A/3	Series A	3	5M/Box : 50M/Cs	65	White, Red	E
400-W4	Series W	4	2.5M/Bag : 10M/Cs	35	White, Red	F
400-W5	Series W	5	2.5M/Bag : 10M/Cs	35	White, Red, Blue	G
400-W6	Series W	6	2.5M/Bag : 10M/Cs	35	White	B



Not actual sizes

## Aro-Ties

Made of polyethylene.



Part No.	Length (In.)	Packaging	Case Weight (Lbs.)	Stock Colors
150-05	5.5	1M/Roll : 30M/Cs	46	Natural, Yellow

## Deadlock Tag Fasteners

Made of 17 gauge, copper coated steel.




Part No.	Shape	Tip	Length x Width (In.)	Packaging	Case Weight (Lbs.)
720-121B	Diamond	Blunt	1 3/8 x 3/4	1M/Box : 20M/Cs	48
720-121S	Diamond	Sharp	1 3/8 x 3/4	1M/Box : 20M/Cs	48
720-121SB	Diamond	Semi-Blunt	1 3/8 x 3/4	1M/Box : 20M/Cs	48
720-122	Oval	Semi-Blunt	1 3/8 x 3/8	1M/Box : 20M/Cs	48

## Steel Wire Tie Tools

Used with looped end wire ties.

Part No.	Description	Packaging	Case Weight (Lbs.)	Picture
310-232	Wood Grip Twister Tool	1 Ea/Box	1	A
310-268	Brace Type Twister Tool	1 Ea/Box	1	B
310-721	HD Spring Return Twister Tool	1 Ea/Box	1	C



## Looped End Ties

Looped at both ends.



Part No.	Material	Gauge	Length (In.)	Packaging	Case Weight (Lbs.)
300-04	Galvanized Steel	18	4	1M/Bdl : 2M/Cs	8
300-05	Galvanized Steel	18	5	1M/Bdl : 2M/Cs	9
300-06	Galvanized Steel	18	6	1M/Bdl : 2M/Cs	10
300-08	Galvanized Steel	18	8	1M/Bdl : 1M/Cs	7
300-10	Galvanized Steel	18	10	1M/Bdl : 1M/Cs	8
300-12	Galvanized Steel	18	12	1M/Bdl : 1M/Cs	10
302-04	Annealed Steel	16	4	1M/Bdl : 2M/Cs	12
302-05	Annealed Steel	16	5	1M/Bdl : 2M/Cs	15
302-06	Annealed Steel	16	6	1M/Bdl : 2M/Cs	16
302-08	Annealed Steel	16	8	1M/Bdl : 1M/Cs	9
302-10	Annealed Steel	16	10	1M/Bdl : 1M/Cs	12
302-12	Annealed Steel	16	12	1M/Bdl : 1M/Cs	14
304-04	PVC Coated Steel	16	4	1M/Bdl : 2M/Cs	12
304-05	PVC Coated Steel	16	5	1M/Bdl : 2M/Cs	15
304-06	PVC Coated Steel	16	6	1M/Bdl : 2M/Cs	16
304-08	PVC Coated Steel	16	8	1M/Bdl : 1M/Cs	9
304-10	PVC Coated Steel	16	10	1M/Bdl : 1M/Cs	12
304-12	PVC Coated Steel	16	12	1M/Bdl : 2M/Cs	14

## Manila Shipping Tags

Wires sold separately.

All tags have 3/16" hole and 1/2" patch.



Part No.	Length x Width (In.)	Packaging	Case Weight (Lbs.)	Stock Colors
723-1	2 3/4 x 1 3/8	1M/Box	2	Plain
723-3	3 3/4 x 1 7/8	1M/Box	3	Plain
723-4	4 1/4 x 2 1/8	1M/Box	3	Plain
723-5	4 3/4 x 2 3/8	1M/Box	4	Plain
723-6	5 1/4 x 2 5/8	1M/Box	5	Plain
723-8	6 1/4 x 3 1/8	1M/Box	7	Plain

Custom printing, coloring and perforating are available.

## Shipping Tag Wires

For use with manila shipping tags.



Part No.	Material	Gauge	Packaging	Case Weight (Lbs.)
721-12	Galvanized Steel	27	1M/Bdl : 10M/Cs	11
721-12S	Stainless Steel	27	1M/Bdl : 10M/Cs	11

## Display Hooks

Used with T-end or paddle tag fasteners.



Part No.	Length x Width (In.)	Thickness (In.)	Hook Diameter (In.)	Packaging	Case Weight (Lbs.)	Colors Available
625	1 13/16 x 3/4	1/16	7/16	100/Bag : 1M/Cs	2	Black, White

## Easy Cut Razor Knife

Knife comes with holster and tether.



Part No.	Description	Packaging	Case Weight (Lbs.)
545-RK	Three settings for adjustable blade length which extends only when trigger is squeezed.	1 Knife & 2 Blades	1
545-RB	Replacement blades for Easy Cut Razor Knife	80 Blades	1

## Parcel Handle

Plastic handle over 13 gauge steel wire.




Part No.	Overall Length (In.)	Handle Length (In.)	Handle Diameter (In.)	Packaging	Case Weight (Lbs.)
638-P	5	3 5/8	9/16	100/Bag : 1M/Cs	20

## Plastic Handles and Accessories

Made of Polyethylene.

Part No.	Overall Length (In.)	Handle Length (In.)	Handle Width (In.)	Thickness (In.)	Packaging	Case Weight (Lbs.)	Colors Available	Picture
635-6HD	6 1/4	4 1/8	7/8	5/32	100/Bag	2	Black, White	A
635-6L	6	3	5/8	3/32	100/Bag	1	Black, White	B
635-6.5	6 1/2	4	5/8	1/8	100/Bag	1	Black, White	C
635-7	6 3/4	4	13/16	5/32	100/Bag	2	Black, White	D
635-8	7 3/4	5 1/8	25/32	3/16	100/Bag	2	Black, White	E
635-9	9	4 1/8	13/16	3/16	100/Bag	3	Black, White	F
635-W	1 1/8	For use with 6" - 8"		1/16	100/Bag	1	Clear	G
635-WHD	7 3/8	For use with 9"		1/16	100/Bag	2	Clear	H



Not actual sizes

## Labelers

Used with contact labels.



Part No.	Description	Bands per Line	Characters per Band	Accepted Label	Case Weight (Lbs.)
886-G2212-06001	One Line Labeler	6	13	2212	6
886-G2216-66004	Two Line Labeler	6	13	2216	8
886-31851	One Line Custom Slug	10 or 13	1	NA	1

## Labels

Packaged 1.2M per roll and 9 rolls per sleeve.



Part No.	Length x Width (mm)	Corresponding Labeler	Case Weight (Lbs.)	Stock Colors
886-2212	22 x 12	G2212-06001	1	White, Green, Orange
886-2216	22 x 16	G2216-66004	1	White, Green

## Sign Guardian

Works on chain link mesh 1.75 to 2.25 inches.



Part No.	Description	Packaging	Case Weight (Lbs.)
545-SG2000	Nylon sign holder with 1" Zinc alloy R bolt	2/Bag	1
545-SGBIT	1/4" one-way bit for use with R bolts	1/Bag	1

## Tape Gun

Tape not included.




Part No.	Description	Packaging	Case Weight (Lbs.)
860-TD3	Uses 3" tape and has a foam grip handle	1/Box	2

## Hang-Tabs

All tabs and strips are adhesive-back except item 620-1112.

Part No.	Overall Height x Width (In.)	Thickness (Mil)	Style	Manual or Automatic Application	Packaged	Picture
620-1106	23-1/2 x 1-1/2	20	Strip	Manual	50/Bundle	A
620-1112	5-7/16 x 1-3/8	20	Strip	Manual	2.4M/Roll	B
620-1200	1-5/8 x 3/4	15	Round	Manual	1M/Bag	C
620-1210	1-7/16 x 1	15	Round	Manual	1M/Bag	D
620-1300	1-7/16 x 1-5/8	15	Delta	Manual	1M/Bag	E
620-1501	1-1/4 x 7/8	10	Round	Manual	36/Sheet	F
620-1601	1-1/4 x 1-5/8	15	Delta	Manual	20/Sheet	G
620-1710	1-3/4 x 1	20	Hook	Manual	20/Sheet	H
620-1807	1-3/8 x 1-5/8	15	Delta	Automatic	3.5M/Roll	I
620-1810	1-3/16 x 1-3/8	10	Delta	Automatic	4.5M/Roll	J
620-1902	1-3/8 x 1	5	Round	Automatic	9M/Roll	K
620-2001	1-3/4 x 1-1/8	25	Hook	Automatic	3.5M/Roll	L
620-2015	1-3/8 x 7/8	15	Hook	Automatic	6M/Roll	M
620-2401	1-1/2 x 2-1/2	10	Fold-Up	Automatic	4.5M/Roll	N



Not actual sizes



©2011 AndFel Corporation  
1225 Sieboldt Quarry Road Springville, IN 47462  
Ph: 800-622-7525 Fax: 800-761-1296  
[www.andfel.com](http://www.andfel.com)